



Release Notes for Linux

LogiGear Corporation

4100 E 3rd Ave - suite 150 Foster City, CA, 94404

Phone (650) 572-1400 (800) 322-0333

 Fax
 (650) 572-2822

 Web
 www.logigear.com

Contents

What's New in TestArchitect 8.2 Update 6	3
TestArchitect Client	
Enhancements to existing features	3
TestArchitect Automation	3
Deprecation	3
System Requirements	3
Recommended system requirements	3
Additional Resources	4

Please note:

- Before upgrading to the latest version of TestArchitect, it is strongly recommended that you back up all repositories.
- A TestArchitect client and any repository server to which it connects must be of the same version.

What's New in TestArchitect 8.2 Update 6

The following new features and improvements are introduced in the latest version of TestArchitect running under Linux.

TestArchitect Client

Enhancements to existing features

• **Deleting TestArchitect projects** containing project items is now supported.

TestArchitect Automation

- hold key built-in action: Hold specified keyboard key(s) down.
- **release key** built-in action: Release the specified key(s) that were previously held down using the **hold key** built-in action.

Deprecation

• **global pos** property on web automation has been deprecated. We highly recommend that you use **XPath** instead.

System Requirements

The following table lists the recommended hardware and software requirements for TestArchitect.

Recommended system requirements

	TestArchitect Client/Controller with small-scale	Production-scale Repository Server (up to 15 concurrent connections,
	Repository Server	1GB repository)
Operating system	Red Hat Linux 5.8 and 6.3	Windows 2008/2012 Server
RAM	4 GB	8 GB
HDD	At least 2.5GB available space	Available space of at least 2 GB plus total aggregate size of all databases
СРИ	2 GHz dual-core or faster	3.1 GHz quad-core

Additional Resources

- For more information, please visit our website at <u>www.testarchitect.com</u> or email us at <u>sales@logigear.com</u>.
- On a system with TestArchitect installed, help is available at: /usr/local/logigear/testarchitect/tahelp/webhelp/index.html