TestArchitect 8.5

January 2020

Release Notes for macOS

Contents

> **Please note:**
> - Before upgrading to the latest version of TestArchitect, it is strongly recommended that you back up all repositories and check in all test artifacts.
> - A TestArchitect client and any repository server to which it connects must be the same version.

What's New in TestArchitect 8.5

The following new features and improvements are introduced in the latest version of TestArchitect running on macOS.

TestArchitect Client

Enhancements to existing features

- **Delete the TestArchitect repository**: Now when you delete a repository using the TestArchitect Repository Server Control Panel, you no longer have to stop the repository first, you can delete it immediately.

Known issues

- Due to changes in the WebDriver coordinate calculation algorithm, there may be a slight deviation of coordinates in relevant built-in actions with Generic Web Driver Mode (GWD) on Chrome 75. For precision, please re-calculate your positions and coordinates.
  - Note: These changes do not effect non-GWD mode.

System Requirements

The following table lists the recommended hardware and software requirements for TestArchitect.

Recommended system requirements

	TestArchitect Client/Controller with small-scale Repository Server	Production-scale Repository Server (up to 15 concurrent connections, 1GB repository)
Operating system	El Capitan (10.11), Yosemite (10.10) (Learn more)	Windows 2008/2012/2016/2019 Server
RAM	4 GB	8 GB
HDD	At least 2.5GB available space	Available space of at least 2GB plus the total aggregate size of all databases
CPU	2 GHz dual-core or faster	3.1 GHz quad-core

Additional Resources

For more information, please visit our website at *www.testarchitect.com* or email us at *sales@logigear.com*.