





TestArchitect 9.0 Update 2

August 2021

Release Notes for Windows



1730 S. Amphlett Blvd, Suite 200, San
Mateo, CA 94404

Phone (650) 572-1400
(800) 322-0333

Fax (650) 572-2822

Web www.logigear.com

Contents

What's New in TestArchitect 9.0 Update 2	3
TestArchitect Client	3
TestArchitect Automation	3
System Requirements	3
Recommended system requirements	3
Additional Resources	4

Please note:

- Before upgrading to the latest version of TestArchitect, it is strongly recommended that you back up all repositories and check in all test artifacts.

What's New in TestArchitect 9.0 Update 2

The following new features and improvements are introduced in the latest version of TestArchitect running on Windows.

TestArchitect Client

- **Web Interface Viewer:** The new generation of Web Interface Viewer will help simplify the process of creating Page Object Model in TestArchitect interface entity by exporting locators on the website under test.
 - o Web Interface Viewer will use *smart gen* to help you generate reliable and unique locators.
 - o You can quickly *evaluate and customize* the locators to ensure that it uniquely identifies your web element before exporting it to the interface entity.

TestArchitect Automation

- **Support for Chrome 91, 92 and Firefox 89, 90.** Now you can run automated tests for web pages displayed in the latest version of Chrome and Firefox.
- From now on, TestArchitect automation support Edge Chromium browser. With TestArchitect 9.0 Update 2, **Edge Chromium version 91, 92** are supported.

System Requirements

The following table lists the recommended hardware and software requirements for TestArchitect.

Recommended system requirements

	TestArchitect Client/Controller with small-scale Repository Server	Production-scale Repository Server (up to 15 concurrent connections, 1GB repository)
Operating system	Windows 10 (Learn more)	Windows 2016/2019 Server
RAM	4 GB	8 GB
HDD	At least 2.5GB available space	Available space of at least 2GB plus the total aggregate size of all databases
CPU	2 GHz dual-core or faster	3.1 GHz quad-core

Additional Resources

For more information, please visit our website at www.testarchitect.com or email us at sales@logigear.com.